# SCROLLSAW WORKSH

# Digital Patterns Designed by Steve Good








Hundreds of free Patterns Stencil Printer **Jigsaw Puzzle Templates** Key Chain Pattern Printer Video Tutorials Reviews Community Forum and more.

If you would like to donate click here. No Paypal account needed.







You may use this pattern to make as many of the project as you like. You are free to use any technique including mass production to build the project. The pattern may be copied and given to others provided the entire book is kept intact. You may not sell the pattern or include it in another commercial package of any type.


Steve Good retains the right to the pattern. If you have any questions about the use of this pattern please contact me at steve@stevedgood.com

When printing this pattern it is important to print it full size. When you bring up the print dialog box look in the "Page Sizing & Handling" section. Make sure the "Actual Size" is selected before you hit print.

You also only need to print the page/s you need. After the print dialog opens look for the "Pages to Print" section. You can print the current page or a range of pages. This will help save ink by not printing the title/instruction pages.


#### **Printing Instructions**






## Lidded Box







With the blade set to 0 degrees cut the left and right side of the box. Do not cut the top or bottom.



Use the included angle gauge to set the blade angle. This angle cut will make the top and bottom of the walls parallel so the bottom can be glued on and the lid will set flat.






With the blade set to the correct angle make the top and bottom cuts. Notice that on my cut the blade was tilted to the left and I made both cuts the same direction.

Remember you wan the bottom and top parallel and flat.






The box should look like this when placed together.

This can be a difficult glue-up. It is only butt joints. It will hold together better when you glue on the bottom in the next







Glue on the bottom of the box and clamp with rubber bands until the glue dries. Don't move to the next step until the glue has set up well enough to be handled.


The rest of the assembly goes pretty easy. You may need to custom fit the bottom and the lid.

Use the pattern then trim to fit the box.







### 1/4" Thick



1/4" Thick





1/4" Thick

Bottom 3.5" X 3" Lid part B
3.5" X 4"