SCROLLSAW WORKSH

Digital Patterns Designed by Steve Good







Hundreds of free Patterns Stencil Printer **Jigsaw Puzzle Templates** Key Chain Pattern Printer Video Tutorials Reviews Community Forum and more.

If you would like to donate click here. No Paypal account needed.









You may use this pattern to make as many of the project as you like. You are free to use any technique including mass production to build the project. The pattern may be copied and given to others provided the entire book is kept intact. You may not sell the pattern or include it in another commercial package of any type.


Steve Good retains the right to the pattern. If you have any questions about the use of this pattern please contact me at steve@stevedgood.com

When printing this pattern it is important to print it full size. When you bring up the print dialog box look in the "Page Sizing & Handling" section. Make sure the "Actual Size" is selected before you hit print.


You also only need to print the page/s you need. After the print dialog opens look for the "Pages to Print" section. You can print the current page or a range of pages. This will help save ink by not printing the title/instruction pages.

Printing Instructions





Hand cut Christmas Cards





We are going to cut several cards at the same time. Sandwich all the sheets of card stock between two sheets if 1/8" Baltic birch plywood.






The final stack needs to be 9.5" X 7". I am running the stack through the table saw to get it down to size.






Cut the pattern at the dotted line to prepare it to be glued to the stack.





Wrap the stack in blue painters tape. Use spray adhesive to glue the pattern to the stack.





Drill all the interior entry holes. You will need a small bit. I used a micro bit but you can probably use a 1/16" bit.


To get a nice clean cut in the paper I used a #2/0 blade.





It's time to cut the pattern. There are a few small interior cuts so take your time. Be as accurate as you can. The paper will have some small pieces and will be delicate until it is clued to the backer page.





After you finish all the interior cuts it's time to cut the perimeter. Not the small notches ate the fold line. Use the blade to make a small cut at the notches. This cut will make it easier to find the fold line.






Remove all the cards from the stack. I cut five but it is just as easy to cut fifteen.

Use a metal rule to start the fold.






The second page of the pattern is a template for the backer page. Use it to cut the backer page to size.

Use stick glue to glue the backer page to the back of the front cover of the card.





Card Stock