SCROLLSAW WORKSH

Digital Patterns Designed by Steve Good








Hundreds of free Patterns Stencil Printer **Jigsaw Puzzle Templates** Key Chain Pattern Printer Video Tutorials Reviews Community Forum and more.

If you would like to donate click here. No Paypal account needed.









You may use this pattern to make as many of the project as you like. You are free to use any technique including mass production to build the project. The pattern may be copied and given to others provided the entire book is kept intact. You may not sell the pattern or include it in another commercial package of any type.


Steve Good retains the right to the pattern. If you have any questions about the use of this pattern please contact me at steve@stevedgood.com

When printing this pattern it is important to print it full size. When you bring up the print dialog box look in the "Page Sizing & Handling" section. Make sure the "Actual Size" is selected before you hit print.

You also only need to print the page/s you need. After the print dialog opens look for the "Pages to Print" section. You can print the current page or a range of pages. This will help save ink by not printing the title/instruction pages.

Printing Instructions






Swiss Cheese the Board Game



A dexterity game where the goal is to move the ball bearing to the top hole without it falling into any of the other holes. This is done by pulling the strings.




Video Link https://youtu.be/CHjH8LU3KOE




After I tied the string to the eyelet screws I used super glue on the string so the knot would be permanent.

The half inch steel ball bearings can be ordered from Amazon. http://amzn.to/2hlLsNY






Nuts for weights and they keep the string from pulling back through the eyelet screws.







I used this spruce panel from Home Depot for the board. It's a little shy of 3/4" thick

Store SKU #1001255003












Eyelet screws at 10 and 2 o'clock. Super glue on the knots. Nut glued on bottom of the bearing holder for weight.







1/8" Thick Baltic birch plywood.

Backer board