

# SCROLLSAW WORKSHOP

WWW.SCROLLSAWWORKSHOP.BLOGSPOT.COM

## Digital Patterns

Designed by Steve Good



Hundreds of free Patterns  
Stencil Printer  
Jigsaw Puzzle Templates  
DVD's  
Key Chain Pattern Printer  
Video Tutorials  
Reviews  
Community Forum and more.

If you would like  
to donate click  
here. No Paypal  
account needed.



Note to commercial print employees: I give my permission to print as many of this pattern book as your customer requires.

steve@stevedgood.com

Copyright Steve Good 2018



## General Pattern Information



You may use this pattern to make as many of the project as you like. You are free to use any technique including mass production to build the project. The pattern may be copied and given to others provided the entire book is kept intact. You may not sell the pattern or include it in another commercial package of any type.

Steve Good retains the right to the pattern. If you have any questions about the use of this pattern please contact me at [steve@stevedgood.com](mailto:steve@stevedgood.com)

When printing this pattern it is important to print it full size. When you bring up the print dialog box look in the “Page Sizing & Handling” section. Make sure the “Actual Size” is selected before you hit print.

You also only need to print the page/s you need. After the print dialog opens look for the “Pages to Print” section. You can print the current page or a range of pages. This will help save ink by not printing the title/instruction pages.

## Printing Instructions







This pattern comes in two sizes. The smaller one will be more difficult to cut because of the bevel. You will have to be very precise when you cut the bevel on the small pattern.

You will need to use a small blade like a #1.

Cut the interior cuts first at 90 degrees.  
Then cut the exterior cut at 90 degrees.






Now it's time to make the test cut for the bevel. I used a #1 blade and 1/2" thick wood. My angle came out to ~3 degrees. Yours will vary depending on your blade and thickness of material.

Do test cuts until you get about a 50% lift.

Remember that we want the fossil to come forward.







To prepare for the bevel cut drill a in a spot that will not be obvious. Carefully cut around the fossil.

After the cut is finished I use hot glue on the back to hold the piece in place.




Fossil Scroll Saw Pattern.




1/2" Thick


Red indicates bevel cut.



3/4" Thick  
Red indicates bevel cut.







3/4" Thick  
Red indicates bevel cut.