SCROLLSAW WORKSH

Digital Patterns Designed by Steve Good







Hundreds of free Patterns Stencil Printer **Jigsaw Puzzle Templates** Key Chain Pattern Printer Video Tutorials Reviews Community Forum and more.

If you would like to donate click here. No Paypal account needed.









You may use this pattern to make as many of the project as you like. You are free to use any technique including mass production to build the project. The pattern may be copied and given to others provided the entire book is kept intact. You may not sell the pattern or include it in another commercial package of any type.

Steve Good retains the right to the pattern. If you have any questions about the use of this pattern please contact me at steve@stevedgood.com

When printing this pattern it is important to print it full size. When you bring up the print dialog box look in the "Page Sizing & Handling" section. Make sure the "Actual Size" is selected before you hit print.

You also only need to print the page/s you need. After the print dialog opens look for the "Pages to Print" section. You can print the current page or a range of pages. This will help save ink by not printing the title/instruction pages.


Printing Instructions







Original graphic for the pattern was provided by www.freepik.com



I was able to cut all 684 interior cuts in this project in under 1 hour and 45 minutes.

This was possible because of stack cutting. I highly recommend that you stack cut all four sides for this project.


Because the front and back sides are slightly different than the left and right sides we will have to cut a modification in the sides after we complete the interior cuts.






Here are all four sheets of the 1/8" Baltic birch plywood stacked together and bound with blue painters tape.


Carefully drill all the interior holes with a 1/16" drill bit.



Stack cut all four sides with the pattern with the tabs. We will mark and cut the tabs off of two of the sides after we complete the stack cutting.

After you unpack all the sides carefully mark and cut the slot for the tabs on two of the sides.






Glue all the slots into the tabs and secure with rubber bands until the glue dries.

I completed the project with a spray acrylic.

Caution: Candles can cause fires. Use candles with proper supervision or use electric candles.



1/8" Thick

1/2" Thick Base.	