

# SCROLLSAW WORKSHOP

WWW.SCROLLSAWWORKSHOP.BLOGSPOT.COM

## Digital Patterns

Designed by Steve Good



Hundreds of free Patterns  
Stencil Printer  
Jigsaw Puzzle Templates  
DVD's  
Key Chain Pattern Printer  
Video Tutorials  
Reviews  
Community Forum and more.

If you would like  
to donate click  
here. No Paypal  
account needed.



Note to commercial print employees: I give my permission to print as many of this pattern book as your customer requires.

steve@stevedgood.com

Copyright Steve Good 2018



## General Pattern Information


You may use this pattern to make as many of the project as you like. You are free to use any technique including mass production to build the project. The pattern may be copied and given to others provided the entire book is kept intact. You may not sell the pattern or include it in another commercial package of any type.

Steve Good retains the right to the pattern. If you have any questions about the use of this pattern please contact me at [steve@stevedgood.com](mailto:steve@stevedgood.com)

When printing this pattern it is important to print it full size. When you bring up the print dialog box look in the “Page Sizing & Handling” section. Make sure the “Actual Size” is selected before you hit print.

You also only need to print the page/s you need. After the print dialog opens look for the “Pages to Print” section. You can print the current page or a range of pages. This will help save ink by not printing the title/instruction pages.

## Printing Instructions





## Maze Ball



Start Position



Goal Position

Start with the balls in the start position. Your goal is to have all the balls in the center position at the same time.

I used 1/2" diameter steel balls for the puzzle. You can purchase them from Amazon at this link.



<https://amzn.to/2LbctOC>





Note the position of the starting holes and the openings in the rings.

In this prototype I cut three holes in the base to hold the balls in the start position. These holes make the puzzle more difficult to solve because they interfere with the balls while you roll them around.

You can eliminate these holes if you like and just mark the start position with a marker.

I used 1/4" thick Baltic birch plywood but the thickness is not important. Use what works for you.





These starter holes can be eliminated  
and replaced with a marker to show the  
start position.