SCROLLSAW WORKSHO

Digital Patterns Designed by Steve Good







Hundreds of free Patterns Stencil Printer **Jigsaw Puzzle Templates** Key Chain Pattern Printer Video Tutorials Reviews Community Forum and more.

If you would like to donate click here. No Paypal account needed.









You may use this pattern to make as many of the project as you like. You are free to use any technique including mass production to build the project. The pattern may be copied and given to others provided the entire book is kept intact. You may not sell the pattern or include it in another commercial package of any type.

Steve Good retains the right to the pattern. If you have any questions about the use of this pattern please contact me at steve@stevedgood.com

When printing this pattern it is important to print it full size. When you bring up the print dialog box look in the "Page Sizing & Handling" section. Make sure the "Actual Size" is selected before you hit print.

You also only need to print the page/s you need. After the print dialog opens look for the "Pages to Print" section. You can print the current page or a range of pages. This will help save ink by not printing the title/instruction pages.

Printing Instructions





X-Wing Fighter



Not intended for small children.



Cut the body and sand taper the nose starting just behind the cockpit.


1/4" and 1/8" Dowels.



I just used CA glue and activator to assemble the torpedo tubes. You can drill them out if desired.




I used CA glue and activator to install the torpedo tubes on to the wings. Make sure they go on straight.




Cut the cockpit and contour. Note that I cut the cockpit into three parts and beveled the adjoining edges. Then taper the front of the cockpit to meet the body.

R2D2 is behind the cockpit. I used a button plug.



Cut the wing supports at the bevel indicated on the pattern.

Stack cut all four wings. CA glue the wings to the wing supports. Make sure the straight edge on the wing is forward as shown below.





CA glue the wings to the supports.

Sand the wings flues with the support as shown below.





Glue the wing assemble to the body in the position shown above.




Cut the four 3/8" diameter engine dowels 2 3/4" long. Sand a flat spot on the side of the engine dowels.

Glue the four engine dowels to the wings as shown below.

Use the flat spots as the glue joint.





Glue the engine nozzle to the rear of the body.



Build the base. I did not glue the X-Wing to the base. It site pretty stable so I left it free.

