

# SCROLLSAW WORKSHOP

WWW.SCROLLSAWWORKSHOP.BLOGSPOT.COM

## Digital Patterns


Designed by Steve Good



Hundreds of free Patterns  
Stencil Printer  
Jigsaw Puzzle Templates  
DVD's  
Key Chain Pattern Printer  
Video Tutorials  
Reviews  
Community Forum and more.



Click to Donate.



Note to commercial print employees: I give my permission to print as many of this pattern book as your customer requires.

steve@stevedgood.com

Copyright Steve Good 2021



## General Pattern Information

You may use this pattern to make as many of the project as you like. You are free to use any technique including mass production to build the project. The pattern may be copied and given to others provided the entire book is kept intact. You may not sell the pattern or include it in another commercial package of any type.

Steve Good retains the right to the pattern. If you have any questions about the use of this pattern please contact me at [steve@stevedgood.com](mailto:steve@stevedgood.com)

When printing this pattern it is important to print it full size. When you bring up the print dialog box look in the “Page Sizing & Handling” section. Make sure the “Actual Size” is selected before you hit print.



You also only need to print the page/s you need. After the print dialog opens look for the “Pages to Print” section. You can print the current page or a range of pages. This will help save ink by not printing the title/instruction pages.

## Printing Instructions







Mini Racers.






Use 1/8" wooden dowel rod for the axles.  
Cut to length.



The axle holes need  
to be a drill bit size larger  
than 1/8" so the axles turn  
freely.









Cut the car body and glue  
them together before you  
drill the axle holes




1/8" Holes in all tires.



Body parts and tires  
are 1/4" Thick





The diagram illustrates the construction of a track. On the left, a vertical grey bar represents a 1/4 inch thick strip. To its right, a larger grey rectangle represents a piece of plywood. This plywood has a central vertical strip and two side strips, all outlined with dashed red lines. At the top corners of the plywood, there are dashed red circles. A horizontal arrow points to the right edge of the plywood, indicating its width. Text instructions are placed within the plywood area, and a separate instruction is placed to the left of the strip bar.



1/4" Thick Strips  
Cut as many as you need  
to line the track.

5" wide

Cut this plywood to any length  
that you want the track to be.

Any thickness

Apply 1/4" strips to the center  
and both sides all the way to  
the end of the track.



1/4" Thick

