SCROLLSAW WORKSHOP

WWW.SCROLLSAWWORKSHOP.BLOGSPOT.COM

Digital Patterns
Designed by Steve Good

Hundreds of free Patterns
Stencil Printer
Jigsaw Puzzle Templates
DVD's
Key Chain Pattern Printer
Video Tutorials
Reviews
Community Forum and more.

Click to Donate.

PayPal™
Donate Now

VISA   MasterCard   DISCOVER Network   AMERICAN EXPRESS

Scan to Donate

steve@stevedgood.com

General Pattern Information

You may use this pattern to make as many of the project as you like. You are free to use any technique including mass production to build the project. The pattern may be copied and given to others provided the entire book is kept intact. You may not sell the pattern or include it in another commercial package of any type.

Steve Good retains the right to the pattern. If you have any questions about the use of this pattern please contact me at steve@stevedgood.com

Printing Instructions

When printing this pattern it is important to print it full size. When you bring up the print dialog box look in the "Page Sizing & Handling" section. Make sure the "Actual Size" is selected before you hit print.

You also only need to print the page/s you need. After the print dialog opens look for the "Pages to Print" section. You can print the current page or a range of pages. This will help save ink by not printing the title/instruction pages.

Page Sizing & Handling ⓘ

Size	Poster	Multiple	Booklet

○ Fit
◉ Actual size
○ Shrink oversized pages
○ Custom Scale: 100 %
☐ Choose paper source by PDF page size

Pages to Print
◉ All
○ Current page
○ Pages 1 - 34
▸ More Options

The original pattern idea was submitted by Tom Yocom

My two cents key fob. The two pennies are trapped inside the key fob and roll back and forth.

Sand the middle section until it is just thicker
than a penny. If you don't, the pennies will get
on top of each other and get stuck.

When you glue the key fob together make sure you check
the orientation of the words. You want to read them correctly
when you flip the fob over.

When you glue the pieces together make sure you have the words orientated so they are both right side up when the keyfob is flipped over. Once you have the front glued to the middle then insert the two pennies. Not you can glue on the back. Make sure the pennies slide smoothly and cannot get on top of each other.

1/8" Thick

MY TWO

Sand this center section thinner. You want it just proud of the thickness of a penny.

CENTS